

Big Book of Ideas Engineering Safety Strategies



October 2018



Rural Intersections




Upgrade Signs and Pavement Markings

Crash Reduction Factor

- 40% upgrade of all signs and pavement markings
- 15% for STOP AHEAD pavement marking

Typical Installation Costs

• \$2,640 per approach





Streetlights (and Approaches)

Crash Reduction Factor

• 25% to 40% of nighttime crashes

Typical Installation Costs

• \$6,000 per light





All-Way Stop/Yield

Crash Reduction Factor

• Not Available

Typical Installation Costs

• \$1,000 per intersection





Restricted Crossing U-Turn (RCUT) Intersections


Crash Reduction Factor

- 17% all crashes
- 100% angle crashes

Typical Installation Costs

• \$750,000 per intersection







Copyright 2017. Minnesota Department of Transportation (MnDOT). Developed under contract by: CH2M, Inc., a wholly owned subsidiary of Jacobs Engineering Group, Inc.

Rural Intersection Conflict Warning System (RICWS)

Crash Reduction Factor

- 50% all crashes
- 75% severe right angle crashes

Typical Installation Costs

• \$75,000 to \$125,000 per intersection






Crash Reduction Factor

• All crash types & severities 53%

Typical Installation Costs

• \$150,000 to \$300,000 per intersection





Roundabout

Crash Reduction Factor

- 20% to 50% all crashes
- 60% to 90% right-angle crashes

Typical Installation Costs

• \$1,000,000 per intersection



ND 22 & ND 200 roundabout in Killdeer, ND



Copyright 2017. Minnesota Department of Transportation (MnDOT). Developed under contract by: CH2M, Inc., a wholly owned subsidiary of Jacobs Engineering Group, Inc.

Turn Lanes (Offset, Channelized)

Crash Reduction Factor

- Create positive offset left turn lanes ~35% (all + severe crashes)
- Channelize right turn lanes 43% -60% (all crash severities)

Typical Installation Costs

• \$75,000 - \$250,000





Continuous Green T (Signalized)

Crash Reduction Factor

- Angle crashes 96.8%
- Injury crashes 70%
- Total crashes 60%

Typical Installation Costs

• \$300,000 per intersection





Median Acceleration Lanes

Crash Reduction Factor

- Angle: increased 57%
- Rear End: decreased 40%

Typical Installation Costs

\$115,000 for 1,500 feet with a 12 feet wide lane





LED Stop Signs

Crash Reduction Factor

• Angle crashes: 0% to 71%

Typical Installation Costs

• \$3,000 to \$6,000 per intersection





Remove Skew

Crash Reduction Factor

• 0% to 33%

Typical Installation Costs

 \$150,000 - \$300,000 per intersection



